


About us

Welcome to Maro D'Italia - first Aqualet manufacturer in Italy.





What is Aqualet


A bit about our washlets...



- Containing a remote controller nozzle that sprays warm water, it ensures that your private parts remain clean.
- These washlets are equipped with remote control functions for ease of use and in case the user has mobility problems and someone else is initiating the functions of the bidet seat.



These Aqualets also come with a mounted control panel that is stationed on the seat itself, in case the remote controll batteries run out. Some of these models also come with a passive deodorizer that at all times.





Why use it

For decades, we have been the industry leader in the design and manufacture of sophisticated toilets and seats. Our initiatives have raised the standard of excellence in the sanitary space since we have introduced water-efficient designs and integrated innovative technologies into our product range. And in doing so, we have redefined the idea of personal comfort and cleanliness.



We take each of the above listed points seriously to provide our customers unmatched quality and deliverance.

In our interactions with our customers of all backgrounds, we have found one thing common: that all customers desire a clean bowel rinse and efficient water utilization without any spillage or leakage. Insuring safty in a wet bathroom.



Enjoy water cleaning

More water flow functions enable you to completely enjoy water cleaning. Break through traditional cleaning concept. More healthy, more sanitary, and more comfortable.



Strong & gentle water flow Comfortable rhythm

Rhythm of strong and gentle water flow can fully wash and massage one's skin, saves 1/2 water volume, and guarantee optimal washing effect



WASH FUNCTION

Washing has a thorough hands-free cleaning effect. and zero touch so as to avoid secondary pollution.



Spraying water flow Soft and comfortable

Spraying water flow can lighten impact of water flow. Soft water flow washes more gently and comfortably.



Moving water flow All-around washing

Fully wash ladies private parts. Water stream is wider and water flow is gentler. Provides special care in special days.



Air-mixed water flow Soft and gentle

Water flow mixed with bubbles is soft and gentle, caring for women's health and welfare.



BIDET FUNCTION

Provide ladies with special spraying function so as to be far away from cross infection. Care for ladies'health.



MOVING MASSAGE FUNCTION

The sprayer can move forward and backward automatically.



STRONG & GENTLE MASSAGE FUNCTION

Strong and gentle water flow alternate. Rhythmical massage washing.

Full-automatic function



INSTANT HEATING

Excellent ceramic instant heating system can perform continious water heating to meet the needs of consecutive use of several users.

AIR+WATER CLEANING

Apply air-mixed cleaning. Water flow injected with bubbles touches skin softly and gently. Only 1/2 water volume will be enough to achieve optimal cleaning effect.

FULL-AUTOMATIC FUNCTION

Press "Auto" and the Aqualet will automatically start the complete cycle. One minute of washing with an osscilating nozzle enabled, followed by one minute of warm air draying.





Effect of common water flow

Gentle and soft water flow



Injecting bubbles in the process

Comparison between common and air-mixed cleaning



Simple cleaning



SELF-CLEANING NOZZLE

After cleaning, antibacterial spraying nozzle can perform automatic self-cleaning to ensure sanitary and safe use.



When new



After three-months use, still just like new.

DETACHABLE SPRAYER

If it is not in use, sprayer can be detached for complete cleaning so as to eliminate any impurities.





ANTIBIOSIS TECHNOLOGY

Toilet seat, sprayer and water tank applied with silver ion antibacterial technology so that the product can effectively inhibit bacteria and one can enjoy healthy life.





Non-corner inner wall design for easy cleaning. No hard to reach corners or edges for ease of cleaning.



Humanized design



INTELLIGENT REMOTE CONTROL

Humanized intelligent remote control with several smart functions.



Four water temperature levels: off, low level (35°C), middle level (37°C) and high level (39°C).



Four air temperature levels: off, low level (40°C), middle level (45°C) and high level (50°C).



Four seat temperature levels: off, low level (33°C), middle level (35°C) and high level (37°C).



INTELLIGENT POWER SAVING

After the user stands-up, intelligent power-saving mode is activated to automatically adjust temperature of toilet seat and heating up to 50% power saved.



5-FOLD PROTECTION

Plug power surge protection, no-water power-off protection, water temperature, wind temperature and seat temperature overheating protection, multiple-device intelligent protection. Safety is ensured.



Plug power surge protection



No-water power -off protection



Water temperature overheating protection



Wind temperature overheating protection



Seat temperature overheating protection

LED NIGHT LIGHT

At night, soft ledlight will illuminate the toilet bowl. You can use the toilet without turning on the light.



How to use it

- 1. Take a seat on the toilet as you always do.
- 2. After you are done, press the necessary button for your need, either front cleaning for ladies(bidet) or rear cleaning(wash).
- 3. Press the button DRY (cleaning will automatically stop and drying starts).
- **4.** After you feel like you are dry enough, stand up and flush the toilet. The sensor in the seat will automatically stop drying and or cleaning, the Aqualet will go into stand by-energy saving mode.





Product description

Designed in Italy for best performance and quality.



From the comfortable, heated seat to the wireless, intuitive remote control and thinest design our products are every bit as good as they look. Offering both gentle-cleaning and pleasant drying, our products offer maximum comfort and ultimate user-friendliness.

No wonder our customers find each visit to the toilet a relaxing, rejuvenating experience that makes them afresh once again. Once you get used to our products, you won't be able to live without them again!



Main advantages

Why our products stand out

Our ranges of Aqualets are a remarkable combination of functionality, comfort and design and have been appreciated by our customers who have displayed great enthusiasm and passion for nearly every kind of product that we have launched. Our latest ranges of Aqualets are new, improved versions of the toilet-seat where in the water and power connections are elegantly concealed.

- Antibacterial nozzle for perfect hygiene
- Soft open/close function of seat and lid
- Modern touch-sensitive remote control
- Compatible with most toilets

Important Feature #1

Maro D'Italia DI 600 impresses with its flawless design and remarkable combination of perfect functionality and comfort. It has all advanced functions one would need in a bidet seat and can be compared with much more expensive models.

Important Feature #2

Unlike previous models, Maro D'Italia DI 600 features an electrical cable which is neatly hidden in the middle of the toilet so it can be wired to the left or to the right side. It features a power cable fuse which prevents a short circuit.

Important Feature #3

Another advantage of this device is the toilet seat and lid which is made of UF duroplast material. This is what makes it much more durable than the toilet seats made of PP plastic, so you can also take a seat on it without having to worry about breakage.

High-quality cover



DAMPING SOFT-CLOSE

Durable dual dampers ensure the congupe of closing sit nad lid.

ONE-PIECE TOILET SEAT

Applied advanced integrated friction welding and make toilet seat durable and sealed.

Free from electric leakage and water leakage. Safe and reliable.



DETACHABLE FOR EASE OF CLEANING Easily slides off the mounting board for ease of access of hard to reach places.



Common toilet seat has joint seam. Electric leakage and water leakage can easily occur.



Integrated friction welding is durable and sealed. Free from electric leakage and water leakage. Safe and reliable.





Di600 functions



Warm toilet seat

Heated toilet seat with several temperature settings.



Warm air dryer

The built-in warm-air dryer completely dries you after washing. Temperature can be regulated from cold to warm.



Move nozzle

The position of the nozzle can be adjusted by pressing a button on the remote control.



UF cover

The cover is made of durable material with anti-bacterial coating.



Soft close

The toilet seat and lid have an integrated slow closing function.



Changing water filter

The water filter filter out sand, sediment, and small particles from the water supply before they reach your bidet seat.
The filters also help prevent calcium and hard water deposits from building up inside the bidet seat.



Sittable when closed

The toilet cover is strong enough to carry your weight and will not break if you sit on it.



Single nozzle

Single Nozzle System utilizes a "one size fits all" method of cleaning for both feminine and posterior wash.



Electric toilet seat

The toilet seat is electric and plugs into a regular outlet.



Mechanical water filter

Built-in permanent Ag Nano water filter, which treats the water and makes it anti-bacterial.



Self cleaning nozzle

Nozzles are automatically cleaned before and after each use.



Power saving

The power consumption is reduced when no one is sitting on the toilet or when no panel control button is pressed for approximately 10 minutes.



Rear wash

Anal washing function.



Remote control

Wireless remote control panel can be mounted on the wall beside your toilet.



Bidet

Ladies washing function.



Night light

The night light is designed to provide optimal light intensity for guidance without disturbing your night-time vision.



Full Auto Washing

An automatic preset washing function is enabled.



Air in water


Because the skin in that area is more sensitive, air bubbles are added to water. Therefore the water is not rough or tough, but strong enough and pleasant.

Best combo in town

Undoubtedly, the best combination in town

Combining incredible performance with great design, Maro D'Italia offers the best combo in town. Something that you can depend upon for the rest of your life.









Delivering a surprising range of beautiful, water-saving designs, these Aqualets offer advanced features for comfort and functionality, apart from a wide range of seat and bidet options. The above options are a recommendation only. Maro d'italia di600 fits most toilets.

Get in touch with our team today and you will be guided to the right product range that fits your preference and sensibilities perfectly.








Customers looking to buy the best combination of toilet with bidet seat will definitely find our range appealing and in sync with their preferences. Combining incredible performance with great design, Maro D'Italia offers the best combo in town. Something that you can depend upon for the rest of your life.


Technical Specifications


	1	D1600	
		WASHING	•
		BIDET	
	WASH	OSCILLATING	•
		PULSATING	•
		WATER PRESSURE CONTROL	5 Settings
		WATER TEMPERATURE CONTROL	3 Settings
		NOZZLE POSITION ADJUSTMENT	5 Settings
	AID.	AIR DRYER	•
	AIR	AIR TEMPERATURE CONTROL	3 Settings
		SEAT HEATING TEMPERATURE CONTROL	5 Settings
	SEAT	SOFT CLOSING SEAT AND COVER	•
		SEAT SENSOR	•
		ANTIBACTERIAL NOZZLE CAP	•
	HYGIENE	ANTIBACTERIAL SEAT	•
		NOZZLE MANUAL CLEAN MODE	
LIONS	ENERGY	ENERGY-SAVINGS	
Ĕ	SAVING	ENERGY	•
ECHNICAL SPECIFICATI	SAVING OTHER	NIGHT LIGHT	•
TECHNICAL SPECIFICATIONS			PER 1)
TECHNICAL SPECIFICATI		NIGHT LIGHT RATED VOLTAGE RATED POWER	AC 220V-240V, 50Hz 1300W-1550W
TECHNICAL SPECIFICATI		RATED VOLTAGE RATED POWER BEST ROOM TEMPERATURE	AC 220V-240V, 50Hz 1300W-1550W 3~40°C
TECHNICAL SPECIFICATI		RATED VOLTAGE RATED POWER BEST ROOM TEMPERATURE WATER SUPPLY PRESSURE	AC 220V-240V, 50Hz 1300W-1550W 3~40°C 0.07~0.75MPa
TECHNICAL SPECIFICATI		RATED VOLTAGE RATED POWER BEST ROOM TEMPERATURE WATER SUPPLY PRESSURE WATER SUPPLY TEMPERATURE	AC 220V-240V, 50Hz 1300W-1550W 3~40°C 0.07~0.75MPa 4~35°C
TECHNICAL SPECIFICATI		RATED VOLTAGE RATED POWER BEST ROOM TEMPERATURE WATER SUPPLY PRESSURE WATER SUPPLY TEMPERATURE WATER SUPPLY TEMPERATURE WATERPROOF RATING	AC 220V-240V, 50Hz 1300W-1550W 3~40°C 0.07~0.75MPa 4~35°C IPX4
TECHNICAL SPECIFICATI		RATED VOLTAGE RATED POWER BEST ROOM TEMPERATURE WATER SUPPLY PRESSURE WATER SUPPLY TEMPERATURE WATER SUPPLY TEMPERATURE WATER PROOF RATING WATER TEMPERATURE	AC 220V-240V, 50Hz 1300W-1550W 3~40°C 0.07~0.75MPa 4~35°C IPX4 30~40°C
TECHNICAL SPECIFICATI	OTHER	RATED VOLTAGE RATED POWER BEST ROOM TEMPERATURE WATER SUPPLY PRESSURE WATER SUPPLY TEMPERATURE WATERPROOF RATING WATER TEMPERATURE HEATER POWER	AC 220V-240V, 50Hz 1300W-1550W 3~40°C 0.07~0.75MPa 4~35°C IPX4 30~40°C 1250W-1500W
TECHNICAL SPECIFICATI	OTHER	RATED VOLTAGE RATED POWER BEST ROOM TEMPERATURE WATER SUPPLY PRESSURE WATER SUPPLY TEMPERATURE WATERPROOF RATING WATER TEMPERATURE HEATER POWER SURFACE TEMPERATURE	AC 220V-240V, 50Hz 1300W-1550W 3~40°C 0.07~0.75MPa 4~35°C IPX4 30~40°C 1250W-1500W 29~41°C
TECHNICAL SPECIFICATI	OTHER HEATED WATER	RATED VOLTAGE RATED POWER BEST ROOM TEMPERATURE WATER SUPPLY PRESSURE WATER SUPPLY TEMPERATURE WATERPROOF RATING WATER TEMPERATURE HEATER POWER SURFACE TEMPERATURE HEATER POWER	AC 220V-240V, 50Hz 1300W-1550W 3~40°C 0.07~0.75MPa 4~35°C IPX4 30~40°C 1250W-1500W 29~41°C 50W-60W
TECHNICAL SPECIFICATI	HEATED WATER HEATED SEAT	RATED VOLTAGE RATED POWER BEST ROOM TEMPERATURE WATER SUPPLY PRESSURE WATER SUPPLY TEMPERATURE WATERPROOF RATING WATER TEMPERATURE HEATER POWER SURFACE TEMPERATURE HEATER POWER AIR TEMPERATURE	AC 220V-240V, 50Hz 1300W-1550W 3~40°C 0.07~0.75MPa 4~35°C IPX4 30~40°C 1250W-1500W 29~41°C 50W-60W 40~55°C
TECHNICAL SPECIFICATI	OTHER HEATED WATER	RATED VOLTAGE RATED POWER BEST ROOM TEMPERATURE WATER SUPPLY PRESSURE WATER SUPPLY TEMPERATURE WATERPROOF RATING WATER TEMPERATURE HEATER POWER SURFACE TEMPERATURE HEATER POWER AIR TEMPERATURE MAXIMUM SPEED OF AIR	AC 220V-240V, 50Hz 1300W-1550W 3~40°C 0.07~0.75MPa 4~35°C IPX4 30~40°C 1250W-1500W 29~41°C 50W-60W 40~55°C >4m/s
TECHNICAL SPECIFICATI	HEATED WATER HEATED SEAT	RATED VOLTAGE RATED POWER BEST ROOM TEMPERATURE WATER SUPPLY PRESSURE WATER SUPPLY TEMPERATURE WATERPROOF RATING WATER TEMPERATURE HEATER POWER SURFACE TEMPERATURE HEATER POWER AIR TEMPERATURE	AC 220V-240V, 50Hz 1300W-1550W 3~40°C 0.07~0.75MPa 4~35°C IPX4 30~40°C 1250W-1500W 29~41°C 50W-60W 40~55°C


Technical Drawings



Maro D'Italia DI600 will fit perfectly on your existing toilet, if it is within the measurements below:







Company information

PUBLISHED BY

Maro D'Italia

info@maro-bidet.com maro-bidet.com

AUTHORISED REPRESENTATIVES:

Davide Camposeo, Janus Pohl

COPYRIGHT

©2013, Maro D'Italia

DATE OF PUBLICATION

May 2013

CONCEPTION, EDITING AND DESIGN

Maro D'Italia Marketing

PRINTING

Maro D'Italia Marketing

INTERNATIONAL CONTACT NUMBER

+448081350068





Maro D'Italia Customer Service +448081350068

info@maro-bidet.com maro-bidet.com

