






VOLUMEN (l)
VOLUMEN (l)

MAX. OBREMENITEV (Kg)
MAX. OBTEREČENJE (Kg)

OBREMENITEV TAL (Kg/m²)
OBTEREČENJE PODA (Kg/m²)

245

420


310

- - Prostor za el. vodnik 3 x 2,5 mm², dolžine cca 1m.
- - Mjesto za el. vodnik 3 x 2,5 mm², dužine cca 1m.
- - Prostor za el. vodnik 1 x 6 mm² za ozemljitev, dolžine cca 1,5m.
- - Mjesto za el. vodnik 1 x 6 mm² za ozemljenje, dužine cca 1,5m.

- ⊠ - Priključek tople in hladne vode 1/2" min 0,2 Mpa, max 0,4 Mpa
- ⊠ - Priključek tople i hladne vode 1/2" min 0,2 Mpa, max 0,4 Mpa

- - Prostor za odtok Ø 50 mm
- - Mjesto za odtok Ø 50 mm

PREDLOG VGRADNJE
PRIJEDLOG UGRADNJE



DREAM-SP 180x80

POLOŽAJ STIKAL IN AGREGATOV PRI RAZLIČNIH IZVEDBAH MASAŽNIH SISTEMOV
MJESTO PREKIDAČA I AGREGATA KOT RAZLIČITI IZVEDBI MASAŽNIH SISTEMA



- VODNA ČRPALKA
- CRPKA ZA VODU



- VODNE ŠOBE
- VODNE MLAZNICE



- REGULATOR ZRAKA
- REGULATOR ZRAKA



- ELEKTRONSKA STIKALA
- ELEKTRONSKI PREKIDAČI



- ARMATURA IN TUŠ ROČICA
- PIPA I TUŠ

- ZRAČNI KOMPRESOR
- ZRAČNI KOMPRESOR



- ZRAČNA ŠOBA
- ZRAČNA MLAZNICA





- PNEVMATSKO STIKALO
- PNEVMATSKI PREKIDAČ



- LUČ ALI CHROMOTERAPIJA
- SVJETLO ILI CHROMOTERAPIJA



- PREKLOPNIK ZA MIKROŠOBE
- PREKIDAČ ZA MIKROMLAZNICE






ZRAČNI MASAŽNI SISTEM

- ZRAČNI KOMPRESOR P=800W
- ELEKTRONSKO STIKALO
- 8 ZRAČNIH ŠOB


ZRAČNI MASAŽNI SISTEM

- ZRAČNI KOMPRESOR P=800W
- ELEKTRONSKI PREKIDAČ
- 8 ZRAČNIH MLAZNICA

- OPCIJA ARMATURA IN TUŠ ROČICA
- OPCIJA PIPA I TUŠ



- OPCIJA CHROMOTERAPIJA



- OPCIJA CHROMOTERAPIJA